



**Bring
happiness
home.**

THE MOST
IMPORTANT
THING IS TO
ENJOY
YOUR LIFE,
TO **BE** **HAPPY**,
IT'S ALL THAT
MATTERS. - Audrey Hepburn



Elements
of absolute radiance,
crafted to delight.



Research suggests that lights play an important role in our well-being, exposure to natural light affects our energy, mood, sleep and overall quality of life. But in our modern-day lifestyle, optimal exposure to natural light becomes difficult. Even when it comes to our interiors, it is said that an adequate amount of light improves energy levels while inadequate or dull lighting may add to depression and other deficiencies in the body. The type of light and its luminance affects other aspects of daily life like concentration, appetite and many others. So to cater to lighting requirements that help alleviate our mood, Kolors brings to you a range of LED lights that's just the right blend of everything required to uplift your mood through efficient lighting and make you happy.

Introducing

Happy Lighting

From



At Kolors, the unsatiated desire to innovate is what keeps us going relentlessly in our journey of surpassing excellence and achieving perfection. Taking the journey of beautifying lives a little farther, we bring to you a new offering – Kolors LED lighting. A concoction of the finest designs, world-class materials and advanced technology, this range of LED lighting is conceived to offer lighting solutions that

are superior and sustainable. Perfected to the finest details, these products undergo rigorous quality checks at our in-house international standard laboratory where they are tested by a full-fledged Research & Development department. Crafted to let you embrace a world adorned with unmatched brightness, these are just what you need to light up your spaces with Happy Lighting!



Panel Light | Down Light | COB | Spot Light | Street Light | Flood Light | Bulb | Batten Light | LED Strip


Driven by **innovation**, measured by the **trust**.

At Kolors, our unmatched focus on quality, finesse in execution and varied range has helped us establish ourselves at the forefront of the industry. Today, we hold great pride in being the creators of international quality products that are conceived, designed and manufactured in India.

It was in the year 1970 when Kolors was established as a small trading company that traded electrical wiring accessories in India. During its course, the company gradually laid its foot in the arena of manufacturing electrical switches and fixtures for homes, offices, factories, airports and hotels. Today, Kolors has made a mark in the industry by manufacturing all types of switches, sockets, accessories, MCBs, LED Lighting products, plug tops, wires & cables, lamp holders, doorbells, distribution boxes, home automation and mounting boxes for every imaginable market segment.

With 5 state-of-the-art manufacturing plants, 10 Depots, 5000 plus Channel Partners, more than 1500 plus strong workforce and more than 5000 products, Kolors has achieved pan-India presence making international standard products accessible to a sizeable audience.

The pursuit of quality, sophistication and style drives us in our journey towards the peak of the industry. Our wide range of products offer something that would suit every style of living. Our innovation-led approach and proficiency has helped us provide world-class quality products that reflect grandeur living and sheer class. The outcome of our endeavour has been truly rewarding – being honoured with the India Design Mark twice.



कलर्स में, गुणवत्ता पर हमारा बेजोड़ फोकस, निष्पादन में सूक्ष्मता और विविध श्रेणी ने हमें उद्योग में सबसे आगे स्थापित करने में मदद की है। आज हम अंतर्राष्ट्रीय गुणवत्ता वाले उत्पादों के निर्माता होने में गर्व महसूस करते हैं जिनकी कल्पना, डिज़ाइन एवं निर्मितता भारत में ही की गई है।

यह बात १९७० की है जब कलर्स ने एक छोटी सी व्यापारीक कंपनी को स्थापित किया, जो कि इलेक्ट्रीकल वायरिंग एक्सेसरीज़ में व्यापार करती थी। अपनी कार्यप्रणाली के दौरान, इस समूह ने धीरे-धीरे घरों, कार्यालयों, कारखानों, हवाई अड्डों और होटलों के लिए इलेक्ट्रीकल स्विचिस और एक्सेसरीज़ उत्पादन के क्षेत्र में अपने कदम रखे। आज, कलर्स ने हर बाजार खंड के लिए सभी प्रकार के स्विच, सॉकेट, एक्सेसरीज़, एमसीबी, एलईडी लाईटिंग उत्पाद, प्लग टॉप, तार, लैम्प होल्डर, डोर बेल, माउंटिंग बॉक्स और घर स्वचालन उत्पादन के निर्माण से उद्योग जगत में अपना एक स्थान बनाया है।

५ अत्याधुनिक उत्पादन प्लांट्स, १० डिपो, ५००० से अधिक चैनल पार्टनर्स, १५०० से ज्यादा कर्मचारियों और ५००० से ज्यादा प्रोडक्ट्स के साथ कलर्स पूरे भारत में मौजूद है और अनगिनत लोगों को विश्वस्तरीय उत्पाद प्रदान कर रहा है।

गुणवत्ता, परिष्कार और शैली का अनुसरण हमें उद्योग के शीर्ष की ओर ले जाता है। हमारे उत्पादों की विस्तृत श्रृंखला कुछ ऐसा प्रदान करती है जो जीवन शैली की हर शैली के अनुरूप हो। हमारे इन्नोवेशन अग्रणी दृष्टिकोण और प्रवीणता ने हमें विश्व स्तरीय गुणवत्ता वाले उत्पाद प्रदान करने में मदद की है जो भव्य जीवनशैली और विशेष श्रेणी दर्शाती है। हमारे प्रयास का नतीजा वास्तव में पुरस्कृत हुआ है जैसे – भारत डिजाइन मार्क से दो बार सम्मानित होना।



Click on the page number to open the page

PANEL LIGHT

Kyle	02
Klara	05
Karis	09
Keeto	14
Keeto 2x2	18

DOWNLIGHT

Karis	21
Krysta	29
Klair	29
Kute	29
Kute 2.0	29

SPOTLIGHT

Karis	24
Klea	28
Kandy	32

BULBS

Keeto	34
Nano	34

BATTEN LIGHT

Karis	36
-------------	----

STREET LIGHT

Kythe 1.0	39
-----------------	----

FLOOD LIGHT

Karis	41
-------------	----



**Spread
happiness.**






KYLE

PANEL LIGHT

Designed to reflect the matchless style, these panel lights with high lumen value offer efficient and uniform brightness to your spaces. The narrow rim edges and in-built driver makes it easy to install and ensures that it is at par with electrical safety standards. Crafted to be used for ambient lighting, these are sturdy and long-lasting.



Switch on a brighter life.



FEATURES:

- Available in Cool White (6500K)
Natural White (4000K) & Warm White (3000K)
- Recessed type
- Non-isolated driver, efficiency: >80%
- Total Harmonic Distortion (THD%): <15%
- Housing material & diffuser type: Engineering plastic
- 4-stage electrical protection:
 - Over Voltage
 - Under Voltage
 - Short Circuit
 - Open Circuit Protections



In-built Driver



Superior Surge
Protection 2.5KV



Wide voltage
range 85 - 265 V~



Beam Angle



IP20

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KYLE PANEL LIGHT SLIM ROUND										
	2409PL06R (WW)	6W	3000K	>0.9	120°	>80	Φ120*22.5	Φ 98	675.00	40
	2409PL06R (NW)	6W	4000K	>0.9	120°	>80	Φ120*22.5	Φ 98	675.00	40
	2409PL06R (CW)	6W	6500K	>0.9	120°	>80	Φ120*22.5	Φ 98	675.00	40
	2409PL10R (WW)	10W	3000K	>0.9	120°	>80	Φ145*22.5	Φ 125	875.00	40
	2409PL10R (NW)	10W	4000K	>0.9	120°	>80	Φ145*22.5	Φ 125	875.00	40
	2409PL10R (CW)	10W	6500K	>0.9	120°	>80	Φ145*22.5	Φ 125	875.00	40
	2409PL15R (WW)	15W	3000K	>0.9	120°	>80	Φ170*22.5	Φ 150	1050.00	40
	2409PL15R (NW)	15W	4000K	>0.9	120°	>80	Φ170*22.5	Φ 150	1050.00	40
	2409PL15R (CW)	15W	6500K	>0.9	120°	>80	Φ170*22.5	Φ 150	1050.00	40
	2409PL20R (WW)	20W	3000K	>0.9	120°	>80	Φ225*22.5	Φ 205	1425.00	40
	2409PL20R (NW)	20W	4000K	>0.9	120°	>80	Φ225*22.5	Φ 205	1425.00	40
	2409PL20R (CW)	20W	6500K	>0.9	120°	>80	Φ225*22.5	Φ 205	1425.00	40
KYLE PANEL LIGHT SLIM SQUARE										
	2409PL06S (WW)	6W	3000K	>0.9	120°	>80	120*120*22.5	98*98	675.00	40
	2409PL06S (NW)	6W	4000K	>0.9	120°	>80	120*120*22.5	98*98	675.00	40
	2409PL06S (CW)	6W	6500K	>0.9	120°	>80	120*120*22.5	98*98	675.00	40
	2409PL10S (WW)	10W	3000K	>0.9	120°	>80	145*145*22.5	125*125	875.00	40
	2409PL10S (NW)	10W	4000K	>0.9	120°	>80	145*145*22.5	125*125	875.00	40
	2409PL10S (CW)	10W	6500K	>0.9	120°	>80	145*145*22.5	125*125	875.00	40
	2409PL15S (WW)	15W	3000K	>0.9	120°	>80	170*170*22.5	150*150	1050.00	40
	2409PL15S (NW)	15W	4000K	>0.9	120°	>80	170*170*22.5	150*150	1050.00	40
	2409PL15S (CW)	15W	6500K	>0.9	120°	>80	170*170*22.5	150*150	1050.00	40
	2409PL20S (WW)	20W	3000K	>0.9	120°	>80	225*225*22.5	205*205	1425.00	40
	2409PL20S (NW)	20W	4000K	>0.9	120°	>80	225*225*22.5	205*205	1425.00	40
	2409PL20S (CW)	20W	6500K	>0.9	120°	>80	225*225*22.5	205*205	1425.00	40
KYLE 2.0 PANEL LIGHT SLIM ROUND										
	2410PL06R (WW)	6W	3000K	>0.9	120°	>80	Φ110*22.5	Φ 98	650.00	40
	2410PL06R (CW)	6W	6500K	>0.9	120°	>80	Φ110*22.5	Φ 98	650.00	40
	2410PL10R (WW)	10W	3000K	>0.9	120°	>80	Φ145*22.5	Φ 125	850.00	40
	2410PL10R (CW)	10W	6500K	>0.9	120°	>80	Φ145*22.5	Φ 125	850.00	40
	2410PL15R (WW)	15W	3000K	>0.9	120°	>80	Φ170*22.5	Φ 150	1000.00	40
	2410PL15R (CW)	15W	6500K	>0.9	120°	>80	Φ170*22.5	Φ 150	1000.00	40
	2410PL20R (WW)	20W	3000K	>0.9	120°	>80	Φ225*22.5	Φ 205	1375.00	40
	2410PL20R (CW)	20W	6500K	>0.9	120°	>80	Φ225*22.5	Φ 205	1375.00	40

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY





Stylish and ultra-modern, these rimless LED panel lights radiate light even from the corners, spreading uniform brightness across your interiors. Made to cater to a range of requirements, these come with an adjustable clip offering the flexibility of application. Made with the finest materials and absolute attention to precision these best-in-class LEDs are high on energy-saving, environment-friendly and durable.



KLARA

PANEL LIGHT

Light up
your spaces,
all sides at once.



FEATURES:


- Available in Cool White (6500K), Natural White (4000K) & Warm White (3000K)
- Recessed & Surface (Separate Ring) type
- Non-isolated driver, efficiency: >80%
- Total Harmonic Distortion (THD%): <15%
- Housing material & diffuser type: Engineering plastic
- 4-stage electrical protection:
 - Over Voltage
 - Under Voltage
 - Short Circuit
 - Open Circuit Protections



Rimless design



Lit edges



Adjustable clips



Can easily be installed
to make surface light



In-built Driver



Superior Surge
Protection 2.5KV



Wide voltage
range 100 - 300 V~



Beam Angle



IP20

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KLARA PANEL LIGHT (RIMLESS) ROUND										
	2405PL12R (WW)	12W	3000K	>0.9	120°	>80	Φ120*30	Φ 75-100	1000.00	40
	2405PL12R (NW)	12W	4000K	>0.9	120°	>80	Φ120*30	Φ 75-100	1000.00	40
	2405PL12R (CW)	12W	6500K	>0.9	120°	>80	Φ120*30	Φ 75-100	1000.00	40
	2405PL18R (WW)	18W	3000K	>0.9	120°	>80	Φ170*32	Φ 75-150	1350.00	20
	2405PL18R (NW)	18W	4000K	>0.9	120°	>80	Φ170*32	Φ 75-150	1350.00	20
	2405PL18R (CW)	18W	6500K	>0.9	120°	>80	Φ170*32	Φ 75-150	1350.00	20
	2405PL24R (WW)	24W	3000K	>0.9	120°	>80	Φ223*32	Φ 75-200	1675.00	20
	2405PL24R (NW)	24W	4000K	>0.9	120°	>80	Φ223*32	Φ 75-200	1675.00	20
	2405PL24R (CW)	24W	6500K	>0.9	120°	>80	Φ223*32	Φ 75-200	1675.00	20

KLARA PANEL LIGHT (RIMLESS) SQUARE										
	2405PL12S (WW)	12W	3000K	>0.9	120°	>80	120*120*30	Φ 75-100	1000.00	40
	2405PL12S (NW)	12W	4000K	>0.9	120°	>80	120*120*30	Φ 75-100	1000.00	40
	2405PL12S (CW)	12W	6500K	>0.9	120°	>80	120*120*30	Φ 75-100	1000.00	40
	2405PL18S (WW)	18W	3000K	>0.9	120°	>80	170*170*32	Φ 75-150	1350.00	20
	2405PL18S (NW)	18W	4000K	>0.9	120°	>80	170*170*32	Φ 75-150	1350.00	20
	2405PL18S (CW)	18W	6500K	>0.9	120°	>80	170*170*32	Φ 75-150	1350.00	20
	2405PL24S (WW)	24W	3000K	>0.9	120°	>80	223*223*32	Φ 75-200	1675.00	20
	2405PL24S (NW)	24W	4000K	>0.9	120°	>80	223*223*32	Φ 75-200	1675.00	20
	2405PL24S (CW)	24W	6500K	>0.9	120°	>80	223*223*32	Φ 75-200	1675.00	20

	Code	Particular	Dimension	MRP ₹/U	Pack
KLARA PANEL LIGHT SURFACE FRAME ROUND					
	2405PL12R	12W Surface Frame Round LED Panel Light	Φ120*30	165.00	05
	2405PL18R	18W Surface Frame Round LED Panel Light	Φ170*30	250.00	05
	2405PL24R	24W Surface Frame Round LED Panel Light	Φ225*30	325.00	05

KLARA PANEL LIGHT SURFACE FRAME SQUARE					
	2405PL12S	12W Surface Frame Square LED Panel Light	120*120*30	165.00	05
	2405PL18S	18W Surface Frame Square LED Panel Light	170*170*30	250.00	05
	2405PL24S	24W Surface Frame Square LED Panel Light	225*225*30	325.00	05

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY



Illuminating absolute **brilliance.**

Premium category LED panel lights meticulously crafted to add fine details to your interiors and add to its beauty, these offer uniform brightness and unmatched quality. Catering to varied requirements as per your choice of decor, these blend seamlessly well with every style and flawlessly complement your taste.



KARIS

PANEL LIGHT

Minimalistic, compact and sophisticated, these panels with a high lumen value offer efficient and uniform brightness to your spaces. Energy-efficient and enduring, these are at par with electrical safety standards. Designed to cater to a range of requirements, these add a dash of warmth to the spaces they adorn.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KARIS PANEL LIGHT ROUND										
	2402PL03R (WW)	3W	3000K	>0.5	120°	>80	Φ 82*36	Φ 60	360.00	60
	2402PL03R (NW)	3W	4000K	>0.5	120°	>80	Φ 82*36	Φ 60	360.00	60
	2402PL03R (CW)	3W	6500K	>0.5	120°	>80	Φ 82*36	Φ 60	360.00	60
	2402PL06R (WW)	6W	3000K	>0.9	120°	>80	Φ 116*36	Φ 95	600.00	40
	2402PL06R (NW)	6W	4000K	>0.9	120°	>80	Φ 116*36	Φ 95	600.00	40
	2402PL06R (CW)	6W	6500K	>0.9	120°	>80	Φ 116*36	Φ 95	600.00	40
	2402PL09R (WW)	9W	3000K	>0.9	120°	>80	Φ 116*36	Φ 95	800.00	40
	2402PL09R (NW)	9W	4000K	>0.9	120°	>80	Φ 116*36	Φ 95	800.00	40
	2402PL09R (CW)	9W	6500K	>0.9	120°	>80	Φ 116*36	Φ 95	800.00	40
	2402PL12R (WW)	12W	3000K	>0.9	120°	>80	Φ 166*36	Φ 145	900.00	40
	2402PL12R (NW)	12W	4000K	>0.9	120°	>80	Φ 166*36	Φ 145	900.00	40
	2402PL12R (CW)	12W	6500K	>0.9	120°	>80	Φ 166*36	Φ 145	900.00	40
	2402PL15R (WW)	15W	3000K	>0.9	120°	>80	Φ 166*36	Φ 145	975.00	40
	2402PL15R (NW)	15W	4000K	>0.9	120°	>80	Φ 166*36	Φ 145	975.00	40
	2402PL15R (CW)	15W	6500K	>0.9	120°	>80	Φ 166*36	Φ 145	975.00	40
	2402PL18R (WW)	18W	3000K	>0.9	120°	>80	Φ 220*36	Φ 200	1175.00	40
	2402PL18R (NW)	18W	4000K	>0.9	120°	>80	Φ 220*36	Φ 200	1175.00	40
	2402PL18R (CW)	18W	6500K	>0.9	120°	>80	Φ 220*36	Φ 200	1175.00	40
	2402PL22R (WW)	22W	3000K	>0.9	120°	>80	Φ 220*36	Φ 200	1475.00	40
	2402PL22R (NW)	22W	4000K	>0.9	120°	>80	Φ 220*36	Φ 200	1475.00	40
	2402PL22R (CW)	22W	6500K	>0.9	120°	>80	Φ 220*36	Φ 200	1475.00	40
KARIS PANEL LIGHT SQUARE										
	2402PL03S (WW)	3W	3000K	>0.5	120°	>80	82*82*36	60*60	360.00	60
	2402PL03S (NW)	3W	4000K	>0.5	120°	>80	82*82*36	60*60	360.00	60
	2402PL03S (CW)	3W	6500K	>0.5	120°	>80	82*82*36	60*60	360.00	60
	2402PL06S (WW)	6W	3000K	>0.9	120°	>80	116*116*36	95*95	600.00	40
	2402PL06S (NW)	6W	4000K	>0.9	120°	>80	116*116*36	95*95	600.00	40
	2402PL06S (CW)	6W	6500K	>0.9	120°	>80	116*116*36	95*95	600.00	40
	2402PL09S (WW)	9W	3000K	>0.9	120°	>80	116*116*36	95*95	800.00	40
	2402PL09S (NW)	9W	4000K	>0.9	120°	>80	116*116*36	95*95	800.00	40
	2402PL09S (CW)	9W	6500K	>0.9	120°	>80	116*116*36	95*95	800.00	40
	2402PL12S (WW)	12W	3000K	>0.9	120°	>80	166*166*36	145*145	900.00	40
	2402PL12S (NW)	12W	4000K	>0.9	120°	>80	166*166*36	145*145	900.00	40
	2402PL12S (CW)	12W	6500K	>0.9	120°	>80	166*166*36	145*145	900.00	40
	2402PL15S (WW)	15W	3000K	>0.9	120°	>80	166*166*36	145*145	975.00	40
	2402PL15S (NW)	15W	4000K	>0.9	120°	>80	166*166*36	145*145	975.00	40
	2402PL15S (CW)	15W	6500K	>0.9	120°	>80	166*166*36	145*145	975.00	40
	2402PL18S (WW)	18W	3000K	>0.9	120°	>80	220*220*36	200*200	1175.00	40
	2402PL18S (NW)	18W	4000K	>0.9	120°	>80	220*220*36	200*200	1175.00	40
	2402PL18S (CW)	18W	6500K	>0.9	120°	>80	220*220*36	200*200	1175.00	40
	2402PL22S (WW)	22W	3000K	>0.9	120°	>80	220*220*36	200*200	1475.00	40
	2402PL22S (NW)	22W	4000K	>0.9	120°	>80	220*220*36	200*200	1475.00	40
	2402PL22S (CW)	22W	6500K	>0.9	120°	>80	220*220*36	200*200	1475.00	40

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY



KARIS

PANEL LIGHT

Designed to illuminate every corner uniformly, these sleek LED panels are made with materials that provide an excellent thermal condition for the longer life of the lights. Crafted to uniformly illuminate any space it adorns these batten lights are energy-efficient and durable. Best suited for usage in commercial applications these lights are high on safety and easy to install.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KARIS SURFACE PANEL LIGHT ROUND									
	2403PL06R (WW)	6W	3000K	>0.9	120°	>80	Φ 116*36	775.00	40
	2403PL06R (NW)	6W	4000K	>0.9	120°	>80	Φ 116*36	775.00	40
	2403PL06R (CW)	6W	6500K	>0.9	120°	>80	Φ 116*36	775.00	40
	2403PL09R (WW)	9W	3000K	>0.9	120°	>80	Φ 116*36	975.00	40
	2403PL09R (NW)	9W	4000K	>0.9	120°	>80	Φ 116*36	975.00	40
	2403PL09R (CW)	9W	6500K	>0.9	120°	>80	Φ 116*36	975.00	40
	2403PL12R (WW)	12W	3000K	>0.9	120°	>80	Φ 166*36	1175.00	40
	2403PL12R (NW)	12W	4000K	>0.9	120°	>80	Φ 166*36	1175.00	40
	2403PL12R (CW)	12W	6500K	>0.9	120°	>80	Φ 166*36	1175.00	40
	2403PL15R (WW)	15W	3000K	>0.9	120°	>80	Φ 166*36	1250.00	40
	2403PL15R (NW)	15W	4000K	>0.9	120°	>80	Φ 166*36	1250.00	40
	2403PL15R (CW)	15W	6500K	>0.9	120°	>80	Φ 166*36	1250.00	40
	2403PL18R (WW)	18W	3000K	>0.9	120°	>80	Φ 220*36	1525.00	40
	2403PL18R (NW)	18W	4000K	>0.9	120°	>80	Φ 220*36	1525.00	40
	2403PL18R (CW)	18W	6500K	>0.9	120°	>80	Φ 220*36	1525.00	40
	2403PL22R (WW)	22W	3000K	>0.9	120°	>80	Φ 220*36	1825.00	40
	2403PL22R (NW)	22W	4000K	>0.9	120°	>80	Φ 220*36	1825.00	40
	2403PL22R (CW)	22W	6500K	>0.9	120°	>80	Φ 220*36	1825.00	40
KARIS SURFACE PANEL LIGHT SQUARE									
	2403PL06S (WW)	6W	3000K	>0.9	120°	>80	116*116*36	775.00	40
	2403PL06S (NW)	6W	4000K	>0.9	120°	>80	116*116*36	775.00	40
	2403PL06S (CW)	6W	6500K	>0.9	120°	>80	116*116*36	775.00	40
	2403PL09S (WW)	9W	3000K	>0.9	120°	>80	116*116*36	975.00	40
	2403PL09S (NW)	9W	4000K	>0.9	120°	>80	116*116*36	975.00	40
	2403PL09S (CW)	9W	6500K	>0.9	120°	>80	116*116*36	975.00	40
	2403PL12S (WW)	12W	3000K	>0.9	120°	>80	166*166*36	1175.00	40
	2403PL12S (NW)	12W	4000K	>0.9	120°	>80	166*166*36	1175.00	40
	2403PL12S (CW)	12W	6500K	>0.9	120°	>80	166*166*36	1175.00	40
	2403PL15S (WW)	15W	3000K	>0.9	120°	>80	166*166*36	1250.00	40
	2403PL15S (NW)	15W	4000K	>0.9	120°	>80	166*166*36	1250.00	40
	2403PL15S (CW)	15W	6500K	>0.9	120°	>80	166*166*36	1250.00	40
	2403PL18S (WW)	18W	3000K	>0.9	120°	>80	220*220*36	1525.00	40
	2403PL18S (NW)	18W	4000K	>0.9	120°	>80	220*220*36	1525.00	40
	2403PL18S (CW)	18W	6500K	>0.9	120°	>80	220*220*36	1525.00	40
	2403PL22S (WW)	22W	3000K	>0.9	120°	>80	220*220*36	1825.00	40
	2403PL22S (NW)	22W	4000K	>0.9	120°	>80	220*220*36	1825.00	40
	2403PL22S (CW)	22W	6500K	>0.9	120°	>80	220*220*36	1825.00	40

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY





Add **vibrant glow**
to your interiors.

Stunning, smart and modern, these LED bulbs are designed to offer uniform illumination while superseding the electrical safety standards. Made with the finest materials, these are durable, energy-efficient and thus an exceptional choice for every kind of setup and space offering quality and class that's above all.





KEETO

PANEL LIGHT

Contemporary, stylish and smart these are an ideal fit for every modern space. Made to cater to a range of requirements, these let you embrace a brighter world with no compromise on style. Its uniform and consistent brightness make it suitable for indoor application. High on energy efficiency, these panel lights have a long life and are optimally safe.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KEETO SLIM ALUMINIUM RECESSED PANEL LIGHT ROUND										
	NEW 2204PL03R (WW)	3W	3000K	>0.9	120°	>80	Φ 85*24	Φ 75	405.00	40
	2204PL03R (NW)	3W	4000K	>0.9	120°	>80	Φ 85*24	Φ 75	405.00	40
	2204PL03R (CW)	3W	6500K	>0.9	120°	>80	Φ 85*24	Φ 75	405.00	40
	2204PL06R (WW)	6W	3000K	>0.9	120°	>80	Φ 120*24	Φ 105	525.00	40
	2204PL06R (NW)	6W	4000K	>0.9	120°	>80	Φ 120*24	Φ 105	525.00	40
	2204PL06R (CW)	6W	6500K	>0.9	120°	>80	Φ 120*24	Φ 105	525.00	40
	2204PL09R (WW)	9W	3000K	>0.9	120°	>80	Φ 120*24	Φ 105	675.00	40
	2204PL09R (NW)	9W	4000K	>0.9	120°	>80	Φ 120*24	Φ 105	675.00	40
	2204PL09R (CW)	9W	6500K	>0.9	120°	>80	Φ 120*24	Φ 105	675.00	40
	2204PL12R (WW)	12W	3000K	>0.9	120°	>80	Φ 120*24	Φ 153	800.00	20
	2204PL12R (NW)	12W	4000K	>0.9	120°	>80	Φ 170*24	Φ 153	800.00	20
	2204PL12R (CW)	12W	6500K	>0.9	120°	>80	Φ 170*24	Φ 153	800.00	20
	2204PL15R (WW)	15W	3000K	>0.9	120°	>80	Φ 170*24	Φ 153	925.00	20
	2204PL15R (NW)	15W	4000K	>0.9	120°	>80	Φ 170*24	Φ 153	925.00	20
	2204PL15R (CW)	15W	6500K	>0.9	120°	>80	Φ 170*24	Φ 153	925.00	20
	2204PL18R (WW)	18W	3000K	>0.9	120°	>80	Φ 170*24	Φ 203	1100.00	20
	2204PL18R (NW)	18W	4000K	>0.9	120°	>80	Φ 225*24	Φ 203	1100.00	20
	2204PL18R (CW)	18W	6500K	>0.9	120°	>80	Φ 225*24	Φ 203	1100.00	20
	2204PL22R (WW)	22W	3000K	>0.9	120°	>80	Φ 225*24	Φ 203	1375.00	20
	2204PL22R (NW)	22W	4000K	>0.9	120°	>80	Φ 225*24	Φ 203	1375.00	20
	2204PL22R (CW)	22W	6500K	>0.9	120°	>80	Φ 225*24	Φ 203	1375.00	20

KEETO SLIM ALUMINIUM RECESSED PANEL LIGHT SQUARE										
	NEW 2204PL03S (WW)	3W	3000K	>0.9	120°	>80	85*85*24	75*75	405.00	40
	2204PL03S (NW)	3W	4000K	>0.9	120°	>80	85*85*24	75*75	405.00	40
	2204PL03S (CW)	3W	6500K	>0.9	120°	>80	85*85*24	75*75	405.00	40
	2204PL06S (WW)	6W	3000K	>0.9	120°	>80	120*120*24	105*105	525.00	40
	2204PL06S (NW)	6W	4000K	>0.9	120°	>80	120*120*24	105*105	525.00	40
	2204PL06S (CW)	6W	6500K	>0.9	120°	>80	120*120*24	105*105	525.00	40
	2204PL09S (WW)	9W	3000K	>0.9	120°	>80	120*120*24	105*105	675.00	40
	2204PL09S (NW)	9W	4000K	>0.9	120°	>80	120*120*24	105*105	675.00	40
	2204PL09S (CW)	9W	6500K	>0.9	120°	>80	120*120*24	105*105	675.00	40
	2204PL12S (WW)	12W	3000K	>0.9	120°	>80	120*120*24	153*153	800.00	20
	2204PL12S (NW)	12W	4000K	>0.9	120°	>80	170*170*24	153*153	800.00	20
	2204PL12S (CW)	12W	6500K	>0.9	120°	>80	170*170*24	153*153	800.00	20
	2204PL15S (WW)	15W	3000K	>0.9	120°	>80	170*170*24	153*153	925.00	20
	2204PL15S (NW)	15W	4000K	>0.9	120°	>80	170*170*24	153*153	925.00	20
	2204PL15S (CW)	15W	6500K	>0.9	120°	>80	170*170*24	153*153	925.00	20
	2204PL18S (WW)	18W	3000K	>0.9	120°	>80	170*170*24	203*203	1100.00	20
	2204PL18S (NW)	18W	4000K	>0.9	120°	>80	225*225*24	203*203	1100.00	20
	2204PL18S (CW)	18W	6500K	>0.9	120°	>80	225*225*24	203*203	1100.00	20
	2204PL22S (WW)	22W	3000K	>0.9	120°	>80	225*225*24	203*203	1375.00	20
	2204PL22S (NW)	22W	4000K	>0.9	120°	>80	225*225*24	203*203	1375.00	20
	2204PL22S (CW)	22W	6500K	>0.9	120°	>80	225*225*24	203*203	1375.00	20

	Code	Power In	Model Name	MRP ₹/U	Pack
KEETO DRIVER					
	2204DR03	3W	LED Driver 3W		05
	2204DR06	6W	LED Driver 6W	250.00	05
	2204DR09	9W	LED Driver 9W	310.00	05
	2204DR12	12W	LED Driver 12W	310.00	05
	2204DR15	15W	LED Driver 15W	365.00	05
	2204DR18	18W	LED Driver 18W	365.00	05
	2204DR22	22W	LED Driver 22W	450.00	05

All dimensions in mm





KEETO

PANEL LIGHT



With the spectacular beauty of innovative design coupled with the brightness that is unrivalled, these LED panels are thoughtfully designed to reflect sheer brilliance. Adorn your spaces with these supreme quality lights and get spellbound by the beauty its glow adds to your interiors.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KEETO SURFACE PANEL LIGHT ROUND									
	2212PL06R (WW)	6W	3000K	>0.9	120°	>80	Φ 120*35	640.00	40
	2212PL06R (NW)	6W	4000K	>0.9	120°	>80	Φ 120*35	640.00	40
	2212PL06R (CW)	6W	6500K	>0.9	120°	>80	Φ 120*35	640.00	40
	2212PL09R (WW)	9W	3000K	>0.9	120°	>80	Φ 120*35	800.00	40
	2212PL09R (NW)	9W	4000K	>0.9	120°	>80	Φ 120*35	800.00	40
	2212PL09R (CW)	9W	6500K	>0.9	120°	>80	Φ 120*35	800.00	40
	2212PL12R (WW)	12W	3000K	>0.9	120°	>80	Φ 170*35	950.00	20
	2212PL12R (NW)	12W	4000K	>0.9	120°	>80	Φ 170*35	950.00	20
	2212PL12R (CW)	12W	6500K	>0.9	120°	>80	Φ 170*35	950.00	20
	2212PL15R (WW)	15W	3000K	>0.9	120°	>80	Φ 170*35	1075.00	20
	2212PL15R (NW)	15W	4000K	>0.9	120°	>80	Φ 170*35	1075.00	20
	2212PL15R (CW)	15W	6500K	>0.9	120°	>80	Φ 170*35	1075.00	20
	2212PL18R (WW)	18W	3000K	>0.9	120°	>80	Φ 225*35	1350.00	20
	2212PL18R (NW)	18W	4000K	>0.9	120°	>80	Φ 225*35	1350.00	20
	2212PL18R (CW)	18W	6500K	>0.9	120°	>80	Φ 225*35	1350.00	20
	2212PL22R (WW)	22W	3000K	>0.9	120°	>80	Φ 225*35	1675.00	20
	2212PL22R (NW)	22W	4000K	>0.9	120°	>80	Φ 225*35	1675.00	20
	2212PL22R (CW)	22W	6500K	>0.9	120°	>80	Φ 225*35	1675.00	20
KEETO SURFACE PANEL LIGHT SQUARE									
	2212PL06S (WW)	6W	3000K	>0.9	120°	>80	120*120*35	640.00	40
	2212PL06S (NW)	6W	4000K	>0.9	120°	>80	120*120*35	640.00	40
	2212PL06S (CW)	6W	6500K	>0.9	120°	>80	120*120*35	640.00	40
	2212PL09S (WW)	9W	3000K	>0.9	120°	>80	120*120*35	800.00	40
	2212PL09S (NW)	9W	4000K	>0.9	120°	>80	120*120*35	800.00	40
	2212PL09S (CW)	9W	6500K	>0.9	120°	>80	120*120*35	800.00	40
	2212PL12S (WW)	12W	3000K	>0.9	120°	>80	170*170*35	950.00	20
	2212PL12S (NW)	12W	4000K	>0.9	120°	>80	170*170*35	950.00	20
	2212PL12S (CW)	12W	6500K	>0.9	120°	>80	170*170*35	950.00	20
	2212PL15S (WW)	15W	3000K	>0.9	120°	>80	170*170*35	1075.00	20
	2212PL15S (NW)	15W	4000K	>0.9	120°	>80	170*170*35	1075.00	20
	2212PL15S (CW)	15W	6500K	>0.9	120°	>80	170*170*35	1075.00	20
	2212PL18S (WW)	18W	3000K	>0.9	120°	>80	225*225*35	1350.00	20
	2212PL18S (NW)	18W	4000K	>0.9	120°	>80	225*225*35	1350.00	20
	2212PL18S (CW)	18W	6500K	>0.9	120°	>80	225*225*35	1350.00	20
	2212PL22S (WW)	22W	3000K	>0.9	120°	>80	225*225*35	1675.00	20
	2212PL22S (NW)	22W	4000K	>0.9	120°	>80	225*225*35	1675.00	20
	2212PL22S (CW)	22W	6500K	>0.9	120°	>80	225*225*35	1675.00	20

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI




ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY





KEETO

PANEL LIGHT

Stylish, stunning and ultra-modern, these panels illuminate your spaces uniformly and efficiently. Made to cater to a range of requirements, these add a dash of warmth to your interiors making it look bright and inviting. Ideally suited for commercial and industrial applications.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KEETO BACKLIT SLIM PANEL SQUARE									



2204PL40S (CW)
40W
6500K
>0.9
120°
>80
600*600*30
3500.00
05

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY



Let your spaces
glow in style.

Coming Soon

KOVE
LED STRIP

Light up every corner of your space with these incredible LED strip lights that lend superior brightness and the perfect touch of elegance to your interiors. Specifically designed to add to the style quotient of your spaces, these strips come with adhesive at the backside for easy application and are best used for background lighting or decorative lighting.

Available in Cool White, Warm White, Natural White, Red, Green, Blue & Pink.



KARIS

DOWN LIGHT



A seamless concoction of innovation, finesse and minimalistic design, these are best suited for indoor application. Offering efficient, consistent and uniform illumination these are high on energy saving. A reflection of modern design and absolute class, these complement every stylish space.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KARIS DOWN LIGHT ROUND										
	2402DL03R (WW)	3W	3000K	>0.5	120°	>80	Φ 80*45	Φ 55-65	375.00	60
	2402DL03R (NW)	3W	4000K	>0.5	120°	>80	Φ 80*45	Φ 55-65	375.00	60
	2402DL03R (CW)	3W	6500K	>0.5	120°	>80	Φ 80*45	Φ 55-65	375.00	60
	2402DL03R (RD)	3W	Red	>0.5	120°	>80	Φ 80*45	Φ 55-65	375.00	60
	2402DL03R (GN)	3W	Green	>0.5	120°	>80	Φ 80*45	Φ 55-65	375.00	60
	2402DL03R (BE)	3W	Blue	>0.5	120°	>80	Φ 80*45	Φ 55-65	375.00	60
	2402DL05R (WW)	5W	3000K	>0.5	120°	>80	Φ102*51.5	Φ 75	585.00	40
	2402DL05R (NW)	5W	4000K	>0.5	120°	>80	Φ102*51.5	Φ 75	585.00	40
	2402DL05R (CW)	5W	6500K	>0.5	120°	>80	Φ102*51.5	Φ 75	585.00	40
	2402DL05R (RD)	5W	Red	>0.5	120°	>80	Φ102*51.5	Φ 75	585.00	20
	2402DL05R (GN)	5W	Green	>0.5	120°	>80	Φ102*51.5	Φ 75	585.00	20
	2402DL05R (BE)	5W	Blue	>0.5	120°	>80	Φ102*51.5	Φ 75	585.00	20
	2402DL09R (WW)	9W	3000K	>0.9	120°	>80	Φ126*54	Φ 95-105	815.00	20
	2402DL09R (NW)	9W	4000K	>0.9	120°	>80	Φ126*54	Φ 95-105	815.00	20
	2402DL09R (CW)	9W	6500K	>0.9	120°	>80	Φ126*54	Φ 95-105	815.00	20
	2402DL12R (WW)	12W	3000K	>0.9	120°	>80	Φ 145*57.5	Φ 125	915.00	20
	2402DL12R (NW)	12W	4000K	>0.9	120°	>80	Φ 145*57.5	Φ 125	915.00	20
	2402DL12R (CW)	12W	6500K	>0.9	120°	>80	Φ 145*57.5	Φ 125	915.00	20
	2402DL18R (WW)	18W	3000K	>0.9	120°	>80	Φ 192*66.7	Φ 170	1205.00	20
	2402DL18R (NW)	18W	4000K	>0.9	120°	>80	Φ 192*66.7	Φ 170	1205.00	20
	2402DL18R (CW)	18W	6500K	>0.9	120°	>80	Φ 192*66.7	Φ 170	1205.00	20

All dimensions in mm





Unravel superior brightness.

A design that suits every requirement, these are ideal spot lights to highlight specific areas and illuminate them efficiently. Offering immense flexibility in application and matchless brightness, these are suitable to draw attention to specific objects. Designed to beautify any space it adorns, these spot lights create an aura of warmth that instantly uplifts your mood.



KARIS

SPOT LIGHT

Stylish and elegant, these ultramodern spot lights are best suitable for application lighting. Designed to highlight specific areas and illuminate them efficiently, these offer high lumen value and immense flexibility in application. A classic reflection of contemporary design these are crafted to blend seamlessly with every space and enhance its aura.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KARIS COB SPOT LIGHT ROUND										
	2402SL03R (WW)	3W	3000K	>0.5	38°	>80	Φ 74*40	Φ 63	475.00	40
	2402SL03R (NW)	3W	4000K	>0.5	38°	>80	Φ 74*40	Φ 63	475.00	40
	2402SL03R (CW)	3W	6500K	>0.5	38°	>80	Φ 74*40	Φ 63	475.00	40
	2402SL05R (WW)	5W	3000K	>0.9	38°	>80	Φ 74*40	Φ 63	575.00	40
	2402SL05R (NW)	5W	4000K	>0.9	38°	>80	Φ 74*40	Φ 63	575.00	40
	2402SL05R (CW)	5W	6500K	>0.9	38°	>80	Φ 74*40	Φ 63	575.00	40
	2402SL07R (WW)	7W	3000K	>0.9	38°	>80	Φ 95*45	Φ 72	725.00	40
	2402SL07R (NW)	7W	4000K	>0.9	38°	>80	Φ 95*45	Φ 72	725.00	40
	2402SL07R (CW)	7W	6500K	>0.9	38°	>80	Φ 95*45	Φ 72	725.00	40
	2402SL09R (WW)	9W	3000K	>0.9	30°	>80	Φ 117*52	Φ 92	875.00	40
	2402SL09R (NW)	9W	4000K	>0.9	30°	>80	Φ 117*52	Φ 92	875.00	40
	2402SL09R (CW)	9W	6500K	>0.9	30°	>80	Φ 117*52	Φ 92	875.00	40
	2402SL12R (WW)	12W	3000K	>0.9	30°	>80	Φ 140*59	Φ 120	1075.00	40
	2402SL12R (NW)	12W	4000K	>0.9	30°	>80	Φ 140*59	Φ 120	1075.00	40
	2402SL12R (CW)	12W	6500K	>0.9	30°	>80	Φ 140*59	Φ 120	1075.00	40
KARIS COB SPOT LIGHT SQUARE										
	2402SL03S (WW)	3W	3000K	>0.5	38°	>80	74*74*40	Φ 63	475.00	40
	2402SL03S (NW)	3W	4000K	>0.5	38°	>80	74*74*40	Φ 63	475.00	40
	2402SL03S (CW)	3W	6500K	>0.5	38°	>80	74*74*40	Φ 63	475.00	40
	2402SL05S (WW)	5W	3000K	>0.9	38°	>80	74*74*40	Φ 63	575.00	40
	2402SL05S (NW)	5W	4000K	>0.9	38°	>80	74*74*40	Φ 63	575.00	40
	2402SL05S (CW)	5W	6500K	>0.9	38°	>80	74*74*40	Φ 63	575.00	40
	2402SL07S (WW)	7W	3000K	>0.9	38°	>80	95*95*45	Φ 72	725.00	40
	2402SL07S (NW)	7W	4000K	>0.9	38°	>80	95*95*45	Φ 72	725.00	40
	2402SL07S (CW)	7W	6500K	>0.9	38°	>80	95*95*45	Φ 72	725.00	40
	2402SL09S (WW)	9W	3000K	>0.9	30°	>80	117*117*52	Φ 92	875.00	40
	2402SL09S (NW)	9W	4000K	>0.9	30°	>80	117*117*52	Φ 92	875.00	40
	2402SL09S (CW)	9W	6500K	>0.9	30°	>80	117*117*52	Φ 92	875.00	40
	2402SL12S (WW)	12W	3000K	>0.9	30°	>80	140*140*59	Φ 120	1075.00	40
	2402SL12S (NW)	12W	4000K	>0.9	30°	>80	140*140*59	Φ 120	1075.00	40
	2402SL12S (CW)	12W	6500K	>0.9	30°	>80	140*140*59	Φ 120	1075.00	40

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI




ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY



KARIS

SPOT LIGHT



Coming Soon

Witness your life dwell in limelight with an ultramodern set of spotlights, best suited for application lighting. Our stylish beauties are crafted to highlight and illuminate the specific areas of your choice while offering high lumen value and immense flexibility. What's more, these enhancers of graceful reflection are designed to blend with varied spaces.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KARIS COB SPOT LIGHT BLACK ROUND											NEW
	2402SL03R (B) (WW)	3W	3000K	>0.5	38°	>80	Φ 74*40	Φ 63	525.00	40	
	2402SL03R (B) (NW)	3W	4000K	>0.5	38°	>80	Φ 74*40	Φ 63	525.00	40	
	2402SL03R (B) (CW)	3W	6500K	>0.5	38°	>80	Φ 74*40	Φ 63	525.00	40	
	2402SL05R (B) (WW)	5W	3000K	>0.9	38°	>80	Φ 74*40	Φ 63	625.00	40	
	2402SL05R (B) (NW)	5W	4000K	>0.9	38°	>80	Φ 74*40	Φ 63	625.00	40	
	2402SL05R (B) (CW)	5W	6500K	>0.9	38°	>80	Φ 74*40	Φ 63	625.00	40	
	2402SL07R (B) (WW)	7W	3000K	>0.9	38°	>80	Φ 95*45	Φ 72	800.00	40	
	2402SL07R (B) (NW)	7W	4000K	>0.9	38°	>80	Φ 95*45	Φ 72	800.00	40	
	2402SL07R (B) (CW)	7W	6500K	>0.9	38°	>80	Φ 95*45	Φ 72	800.00	40	
	2402SL09R (B) (WW)	9W	3000K	>0.9	30°	>80	Φ 117*52	Φ 92	950.00	40	
	2402SL09R (B) (NW)	9W	4000K	>0.9	30°	>80	Φ 117*52	Φ 92	950.00	40	
	2402SL09R (B) (CW)	9W	6500K	>0.9	30°	>80	Φ 117*52	Φ 92	950.00	40	
	2402SL12R (B) (WW)	12W	3000K	>0.9	30°	>80	Φ 140*59	Φ 120	1175.00	40	
	2402SL12R (B) (NW)	12W	4000K	>0.9	30°	>80	Φ 140*59	Φ 120	1175.00	40	
	2402SL12R (B) (CW)	12W	6500K	>0.9	30°	>80	Φ 140*59	Φ 120	1175.00	40	
KARIS COB SPOT LIGHT BLACK SQUARE											NEW
	2402SL03S (B) (WW)	3W	3000K	>0.5	38°	>80	74*74*40	Φ 63	525.00	40	
	2402SL03S (B) (NW)	3W	4000K	>0.5	38°	>80	74*74*40	Φ 63	525.00	40	
	2402SL03S (B) (CW)	3W	6500K	>0.5	38°	>80	74*74*40	Φ 63	525.00	40	
	2402SL05S (B) (WW)	5W	3000K	>0.9	38°	>80	74*74*40	Φ 63	625.00	40	
	2402SL05S (B) (NW)	5W	4000K	>0.9	38°	>80	74*74*40	Φ 63	625.00	40	
	2402SL05S (B) (CW)	5W	6500K	>0.9	38°	>80	74*74*40	Φ 63	625.00	40	
	2402SL07S (B) (WW)	7W	3000K	>0.9	38°	>80	95*95*45	Φ 72	800.00	40	
	2402SL07S (B) (NW)	7W	4000K	>0.9	38°	>80	95*95*45	Φ 72	800.00	40	
	2402SL07S (B) (CW)	7W	6500K	>0.9	38°	>80	95*95*45	Φ 72	800.00	40	
	2402SL09S (B) (WW)	9W	3000K	>0.9	30°	>80	117*117*52	Φ 92	950.00	40	
	2402SL09S (B) (NW)	9W	4000K	>0.9	30°	>80	117*117*52	Φ 92	950.00	40	
	2402SL09S (B) (CW)	9W	6500K	>0.9	30°	>80	117*117*52	Φ 92	950.00	40	
	2402SL12S (B) (WW)	12W	3000K	>0.9	30°	>80	140*140*59	Φ 120	1175.00	40	
	2402SL12S (B) (NW)	12W	4000K	>0.9	30°	>80	140*140*59	Φ 120	1175.00	40	
	2402SL12S (B) (CW)	12W	6500K	>0.9	30°	>80	140*140*59	Φ 120	1175.00	40	

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

KLEA

SPOT LIGHT

Let your spaces glow with
a brightness that's impressive.



Pull out the light and turn
as per the use



Can be rotated 360° clockwise
and anti-clockwise



Can be installed on the
ceiling as well as on walls

**Tilt
&
Turn**

FEATURES:

- Available in Cool White (6500K), Natural White (4000K) & Warm White (3000K)
- Recessed type
- Isolated driver, efficiency: >80%
- Total Harmonic Distortion (THD%): <15%
- Power factor: >0.9
- Housing material: Die-cast Aluminium
- Diffuser type: Engineering plastic
- LED package: COB



In-built Driver



Superior Surge
Protection 2.5KV



Voltage range
220 - 240 V~



Beam Angle



IP20



Kutē 2.0

Kutē

Krysta

Klair



Crafted to offer optimum and efficient brightness, these are best suitable to be used indoors. The sturdy metal body makes it tough and durable while its cutting-edge technology makes it energy-efficient and long-lasting. The use of the finest materials and absolute precision in conceiving the product ensures uniform and consistent brightness.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KLEA ROTATABLE COB SPOT LIGHT (TILT & TURN)										
	2406SL06R (WW)	6W	3000K	>0.9	38°	>80	Φ 65*37	Φ 50	1325.00	50
	2406SL06R (NW)	6W	4000K	>0.9	38°	>80	Φ 65*37	Φ 50	1325.00	50
	2406SL06R (CW)	6W	6500K	>0.9	38°	>80	Φ 65*37	Φ 50	1325.00	50
	2406SL12R (WW)	12W	3000K	>0.9	38°	>80	Φ 85*40	Φ 75	1645.00	50
	2406SL12R (NW)	12W	4000K	>0.9	38°	>80	Φ 85*40	Φ 75	1645.00	50
	2406SL12R (CW)	12W	6500K	>0.9	38°	>80	Φ 85*40	Φ 75	1645.00	50
KRYSTA DOWN LIGHT DETACHABLE										
	2407DL05R (WW)	5W	3000K	>0.5	90°	>80	Φ 110*60	Φ 80	505.00	50
	2407DL05R (NW)	5W	4000K	>0.5	90°	>80	Φ 110*60	Φ 80	505.00	50
	2407DL05R (CW)	5W	6500K	>0.5	90°	>80	Φ 110*60	Φ 80	505.00	50
	2407DL05R (RD)	5W	Red	>0.5	90°	>80	Φ 110*60	Φ 80	540.00	50
	2407DL05R (GN)	5W	Green	>0.5	90°	>80	Φ 110*60	Φ 80	540.00	50
	2407DL05R (BE)	5W	Blue	>0.5	90°	>80	Φ 110*60	Φ 80	540.00	50
DETACHABLE BULB FOR KRYSTA DOWN LIGHT										
	2407BU05R (WW)	5W	3000K	>0.5	90°	>80	-	-	350.00	10
	2407BU05R (NW)	5W	4000K	>0.5	90°	>80	-	-	350.00	10
	2407BU05R (CW)	5W	6500K	>0.5	90°	>80	-	-	350.00	10
	2407BU05R (RD)	5W	Red	>0.5	90°	>80	-	-	350.00	10
	2407BU05R (GN)	5W	Green	>0.5	90°	>80	-	-	350.00	10
	2407BU05R (BE)	5W	Blue	>0.5	90°	>80	-	-	350.00	10
KUTE SURFACE LIGHT										
	2408PL03R (WW)	3W	3000K	>0.9	120°	>80	Φ 68.5*13	-	220.00	20
	2408PL03R (NW)	3W	4000K	>0.9	120°	>80	Φ 68.5*13	-	220.00	20
	2408PL03R (CW)	3W	6500K	>0.9	120°	>80	Φ 68.5*13	-	220.00	20
	2408PL03R (RD)	3W	Red	>0.9	120°	>80	Φ 68.5*13	-	220.00	20
	2408PL03R (GN)	3W	Green	>0.9	120°	>80	Φ 68.5*13	-	220.00	20
	2408PL03R (BE)	3W	Blue	>0.9	120°	>80	Φ 68.5*13	-	220.00	20
	2408PL03R (PK)	3W	Pink	>0.9	120°	>80	Φ 68.5*13	-	220.00	20
KUTE SURFACE LIGHT BLACK										
	2408PL03R (B) (WW)	3W	3000K	>0.9	120°	>80	Φ 68.5*13	-	270.00	20
	2408PL03R (B) (NW)	3W	4000K	>0.9	120°	>80	Φ 68.5*13	-	270.00	20
	2408PL03R (B) (CW)	3W	6500K	>0.9	120°	>80	Φ 68.5*13	-	270.00	20
	2408PL03R (B) (RD)	3W	Red	>0.9	120°	>80	Φ 68.5*13	-	270.00	20
	2408PL03R (B) (GN)	3W	Green	>0.9	120°	>80	Φ 68.5*13	-	270.00	20
	2408PL03R (B) (BE)	3W	Blue	>0.9	120°	>80	Φ 68.5*13	-	270.00	20
	2408PL03R (B) (PK)	3W	Pink	>0.9	120°	>80	Φ 68.5*13	-	270.00	20

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

NEW

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KUTE 2.0 JUNCTION BOX LED LIGHT											NEW
	2413PL03R (WW)	3W	3000K	>0.9	180°	>80	Φ 80*28	-	220.00	10	
	2413PL03R (NW)	3W	4000K	>0.9	180°	>80	Φ 80*28	-	220.00	10	
	2413PL03R (CW)	3W	6500K	>0.9	180°	>80	Φ 80*28	-	220.00	10	
	2413PL03R (RD)	3W	Red	>0.9	180°	>80	Φ 80*28	-	220.00	10	
	2413PL03R (GN)	3W	Green	>0.9	180°	>80	Φ 80*28	-	220.00	10	
	2413PL03R (BE)	3W	Blue	>0.9	180°	>80	Φ 80*28	-	220.00	10	
	2413PL03R (PK)	3W	Pink	>0.9	180°	>80	Φ 80*28	-	220.00	10	
	2413PL07R (WW)	7W	3000K	>0.9	180°	>80	Φ 80*28	-	290.00	10	
	2413PL07R (NW)	7W	4000K	>0.9	180°	>80	Φ 80*28	-	290.00	10	
	2413PL07R (CW)	7W	6500K	>0.9	180°	>80	Φ 80*28	-	290.00	10	
	2413PL07R (RD)	7W	Red	>0.9	180°	>80	Φ 80*28	-	290.00	10	
	2413PL07R (GN)	7W	Green	>0.9	180°	>80	Φ 80*28	-	290.00	10	
	2413PL07R (BE)	7W	Blue	>0.9	180°	>80	Φ 80*28	-	290.00	10	
	2413PL07R (PK)	7W	Pink	>0.9	180°	>80	Φ 80*28	-	290.00	10	
KLAIR DOWN LIGHT ROUND											NEW
	2403DL03R (WW)	3W	3000K	>0.9	120°	>80	Φ 80*33	Φ 62	325.00	40	
	2403DL03R (CW)	3W	6500K	>0.9	120°	>80	Φ 80*33	Φ 62	325.00	40	
	2403DL03R (RD)	3W	Red	>0.9	120°	>80	Φ 80*33	Φ 62	325.00	40	
	2403DL03R (GN)	3W	Green	>0.9	120°	>80	Φ 80*33	Φ 62	325.00	40	
	2403DL03R (BE)	3W	Blue	>0.9	120°	>80	Φ 80*33	Φ 62	325.00	40	
	2403DL03R (PK)	3W	Pink	>0.9	120°	>80	Φ 80*33	Φ 62	325.00	40	

All dimensions in mm





KANDY

SPOT LIGHT



Minimal, colourful and contemporary, these tiny LED spot lights lend a dash of vibrance to your spaces that make the ambience warm and welcoming. Available in various colours, these do wonders with ambient or mood lighting for special occasions that call for a setup.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KANDY SPOT LIGHT ROUND										
	2401SL02R (WW)	2W	3000K	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20
	2401SL02R (NW)	2W	4000K	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20
	2401SL02R (CW)	2W	6500K	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20
	2401SL02R (RD)	2W	Red	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20
	2401SL02R (GN)	2W	Green	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20
	2401SL02R (BE)	2W	Blue	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20
	2401SL02R (PK)	2W	Pink	>0.9	30°	>80	Φ 42*16	Φ 32	220.00	20
KANDY SPOT LIGHT SQUARE										
	2401SL02S (WW)	2W	3000K	>0.9	30°	>80	42*42*16	Φ 32	220.00	20
	2401SL02S (NW)	2W	4000K	>0.9	30°	>80	42*42*16	Φ 32	220.00	20
	2401SL02S (CW)	2W	6500K	>0.9	30°	>80	42*42*16	Φ 32	220.00	20
	2401SL02S (RD)	2W	Red	>0.9	30°	>80	42*42*16	Φ 32	220.00	20
	2401SL02S (GN)	2W	Green	>0.9	30°	>80	42*42*16	Φ 32	220.00	20
	2401SL02S (BE)	2W	Blue	>0.9	30°	>80	42*42*16	Φ 32	220.00	20
	2401SL02S (PK)	2W	Pink	>0.9	30°	>80	42*42*16	Φ 32	220.00	20
KANDY SPOT LIGHT BLACK ROUND										
	2401SL02R (B) (WW)	2W	3000K	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20
	2401SL02R (B) (NW)	2W	4000K	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20
	2401SL02R (B) (CW)	2W	6500K	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20
	2401SL02R (B) (RD)	2W	Red	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20
	2401SL02R (B) (GN)	2W	Green	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20
	2401SL02R (B) (BE)	2W	Blue	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20
	2401SL02R (B) (PK)	2W	Pink	>0.9	30°	>80	Φ 42*16	Φ 32	270.00	20
KANDY SPOT LIGHT BLACK SQUARE										
	2401SL02S (B) (WW)	2W	3000K	>0.9	30°	>80	42*42*16	Φ 32	270.00	20
	2401SL02S (B) (NW)	2W	4000K	>0.9	30°	>80	42*42*16	Φ 32	270.00	20
	2401SL02S (B) (CW)	2W	6500K	>0.9	30°	>80	42*42*16	Φ 32	270.00	20
	2401SL02S (B) (RD)	2W	Red	>0.9	30°	>80	42*42*16	Φ 32	270.00	20
	2401SL02S (B) (GN)	2W	Green	>0.9	30°	>80	42*42*16	Φ 32	270.00	20
	2401SL02S (B) (BE)	2W	Blue	>0.9	30°	>80	42*42*16	Φ 32	270.00	20
	2401SL02S (B) (PK)	2W	Pink	>0.9	30°	>80	42*42*16	Φ 32	270.00	20

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY



KEETO

nano
LED NIGHT LAMP

Stylish and elegant, these ultramodern LED bulbs are best suitable for application lighting and ambient lighting. Designed to highlight specific areas and illuminate them efficiently, these offer high lumen value and immense flexibility in application. A classic reflection of contemporary design, crafted to blend seamlessly with every space and enhance its aura.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	MRP ₹/U	Pack
KEETO BULB								
	2204BU03 (WW)	3W	3000K	>0.9	180°	>80	-	90
	2204BU03 (CW)	3W	6500K	>0.9	180°	>80	-	90
	2204BU05 (WW)	5W	3000K	>0.9	180°	>80	-	90
	2204BU05 (CW)	5W	6500K	>0.9	180°	>80	-	90
	2204BU07 (WW)	7W	3000K	>0.9	180°	>80	-	90
	2204BU07 (CW)	7W	6500K	>0.9	180°	>80	-	90
	2204BU09 (WW)	9W	3000K	>0.9	180°	>80	-	90
	2204BU09 (CW)	9W	6500K	>0.9	180°	>80	-	90
	2204BU12 (WW)	12W	3000K	>0.9	180°	>80	-	60
	2204BU12 (CW)	12W	6500K	>0.9	180°	>80	-	60
	2204BU15 (WW)	15W	3000K	>0.9	180°	>80	-	60
	2204BU15 (CW)	15W	6500K	>0.9	180°	>80	-	60
	2204BU18 (WW)	18W	3000K	>0.9	180°	>80	-	60
	2204BU18 (CW)	18W	6500K	>0.9	180°	>80	-	60
	2204BU20 (WW)	20W	3000K	>0.9	180°	>80	-	60
	2204BU20 (CW)	20W	6500K	>0.9	180°	>80	-	60
	NEW 2204BU30 (WW)	30W	3000K	>0.9	180°	>80	-	20
	NEW 2204BU30 (CW)	30W	6500K	>0.9	180°	>80	-	20
	NEW 2204BU40 (WW)	40W	3000K	>0.9	180°	>80	-	12
	NEW 2204BU40 (CW)	40W	6500K	>0.9	180°	>80	-	12
	NEW 2204BU50 (WW)	50W	3000K	>0.9	180°	>80	-	12
	NEW 2204BU50 (CW)	50W	6500K	>0.9	180°	>80	-	12
KEETO INVERTER LAMP								
	2204IB09 (CW)	9W	6500K	>0.9	180°	>80	-	50
NANO NIGHT LAMP								
	2204BU00 (WE)	0.5W	White	>0.9	180°	>80	-	60
	2204BU00 (YW)	0.5W	Yellow	>0.9	180°	>80	-	60
	2204BU00 (RD)	0.5W	Red	>0.9	180°	>80	-	60
	2204BU00 (PK)	0.5W	Pink	>0.9	180°	>80	-	60
	2204BU00 (GN)	0.5W	Green	>0.9	180°	>80	-	60
	2204BU00 (OE)	0.5W	Orange	>0.9	180°	>80	-	60
	2204BU00 (BE)	0.5W	Blue	>0.9	180°	>80	-	60



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE




ZERO
MERCURY

Inquire for the prices for this product with the Local - Representative/ Dealer/ Depot/ Distributor

*Net Prices are applicable on the above products.

(Please note LED Product discount is not applicable on these products).





KARiS

BATTEN LIGHT

Designed to illuminate every corner uniformly, these sleek LED battens are made with materials that provide an excellent thermal condition for the longer life of the lights. Crafted to uniformly illuminate any space it adorns these batten lights are energy-efficient and durable. Best suited for usage in commercial and industrial applications these lights are high on safety and easy to install.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KARIS BATTEN LIGHT									
	2402BA05 (WW)	5W	3000K	>0.9	120°	>80	300	-	25
	2402BA05 (NW)	5W	4000K	>0.9	120°	>80	300	-	25
	2402BA05 (CW)	5W	6500K	>0.9	120°	>80	300	-	25
	2402BA10 (WW)	10W	3000K	>0.9	120°	>80	610	-	25
	2402BA10 (NW)	10W	4000K	>0.9	120°	>80	610	-	25
	2402BA10 (CW)	10W	6500K	>0.9	120°	>80	610	-	25
	2402BA20 (WW)	20W	3000K	>0.9	120°	>80	1130	-	25
	2402BA20 (NW)	20W	4000K	>0.9	120°	>80	1130	-	25
	2402BA20 (CW)	20W	6500K	>0.9	120°	>80	1130	-	25
	2402BA20 (RD)	20W	Red	>0.9	120°	>80	1130	-	25
	2402BA20 (GN)	20W	Green	>0.9	120°	>80	1130	-	25
	2402BA20 (BE)	20W	Blue	>0.9	120°	>80	1130	-	25

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE




ZERO
MERCURY

Inquire for the prices for this product with the Local - Representative/ Dealer/ Depot/ Distributor

*Net Prices are applicable on the above products.

(Please note LED Product discount is not applicable on these products).





Embrace an illuminated life.

An array of aesthetically designed and modish LED lights made with precision to suit your requirements. Contemporary style coupled with spellbinding brightness, these are a quintessential modern-day accessory that beautifies every interior. The inimitable design of each product exhibits finesse and innovation like never before.





KYTHE 1.0

STREET LIGHT



New generation, environment friendly and ultra-modern, these street lights provide wide area coverage and uniform brightness. Elegantly designed to supersede the electrical safety standards, these are safe, sturdy and enduring. Offering visual comfort while adding to street safety, these are a matchless blend of efficiency, durability and world-class quality.

	Code	Power	Colour Temp	Power Factor	Beam Angle	MRP ₹/U	Pack	
KYTHE 1.0 STREET LIGHT								NEW
	2411ST20 (WW)	20W	3000K	>0.9	120°	1700.00	20	
	2411ST20 (CW)	20W	6500K	>0.9	120°	1700.00	20	
	2411ST30 (WW)	30W	3000K	>0.9	120°	2400.00	10	
	2411ST30 (CW)	30W	6500K	>0.9	120°	2400.00	10	
	2411ST50 (WW)	50W	3000K	>0.9	120°	3400.00	10	
	2411ST50 (CW)	50W	6500K	>0.9	120°	3400.00	10	
	2411ST100 (WW)	100W	3000K	>0.9	120°	7000.00	05	
	2411ST100 (CW)	100W	6500K	>0.9	120°	7000.00	05	



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

Street Lights are IP66 Protected.



KARIS

FLOOD LIGHT



Crafted to offer optimum and efficient brightness, these are best suitable to be used outdoor or in events. The sturdy metal body makes it tough and durable while its cutting-edge technology makes it energy-efficient and long-lasting. The use of the finest materials and absolute precision in conceiving the product ensures uniform and consistent brightness.

	Code	Power	Colour Temp	Power Factor	Beam Angle	MRP ₹/U	Pack
KARIS FLOOD LIGHT							
	2402FL30 (WW)	30W	3000K	>0.9	120°	2600.00	05
	2402FL30 (CW)	30W	6500K	>0.9	120°	2600.00	05
	2402FL50 (WW)	50W	3000K	>0.9	120°	3500.00	05
	2402FL50 (CW)	50W	6500K	>0.9	120°	3500.00	05
	2402FL100 (WW)	100W	3000K	>0.9	120°	6500.00	05
	2402FL100 (CW)	100W	6500K	>0.9	120°	6500.00	05
	2402FL150 (WW)	150W	3000K	>0.9	120°	10000.00	05
	2402FL150 (CW)	150W	6500K	>0.9	120°	10000.00	05



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

Flood Lights are IP66 Protected.





Get mesmerized by **enchanting brightness.**

Bright lights play an important role in our overall well-being, it's important to have the right lights that offer uniform brightness in our spaces. Our stunning range of LED lightings are the right blend of innovation and science and cater to varied requirements. These are designed specifically to illuminate your spaces incredibly and lift your mood.

Disclaimer

- Actual products may vary from the product shown in this catalogue.
- Due to the very nature of the basic raw material -due to environmental / climatic / temperature / lot to lot variation etc. reasons, their finish and color may vary from piece to piece, which is beyond company's control.
- The data provided here are indicative & may be revised without prior intimation.
- All specifications are based on standard test condition in Laboratory at standard temperature and pressures.
- Kolors logo is trademark & property of Cosmo Electro Industries Pvt. Ltd. Misuse of any intellectual property, or any other content displayed here in is strictly prohibited.
- All Kolors products must be opened and repaired exclusively by personnel trained and approved by Kolors. Any unauthorized opening or repair completely cancel all liabilities and rights to replacement and warranties.
- Company will not be liable for damages arising due to incorrect installation.
- Any attempt made to rectify, dismantle or alter the product may lead to electrical shock or may destroy the product for which company is not responsible. Company is also not responsible for any consequential loss or damage or installation costs arising out of the same.
- The Company undertakes to replace or repair products at its discretion should it become defective solely as a result of faulty materials or workmanship. Warranty of any kind becomes invalid if the product has not been installed or maintained in accordance with the Company's instruction, or in any attempts has been made to rectify, dismantle or alter the product and does not extend to cover consequential loss or damage or installation costs arising from the defective product.
- Limitation of liability: Company shall not be liable for any special, indirect, incidental or consequential damages what so ever including but not limited to loss of profit, revenue or data (whether or indirect or commercial loss for breach of any express or implied warranty on your product even if company has been advised of the possibility of such damages.
- The Company reserves the right to modify or change the product design and specification in the future without prior intimation. Similarly, colors and finishes are also liable to change without any prior intimation.

Terms & Conditions

- This cancels all our previous price lists.
- This price list subject to change without prior notice.
- The MRP rates are inclusive of all taxes.
- Warranty policy subject to change without prior notice.





COSMO ELECTRO INDUSTRIES PVT LTD

401, Vastu Prestige, Sundarban Complex
Link Road, Andheri (W), Mumbai - 400 053

Toll Free: 1800 221 470

E: sales@kolorsworld.com

W: www.kolorsworld.com

Follow kolorsswitches on: [!\[\]\(44631ae396efdf2fa41913daa26819c0_img.jpg\)](#) [!\[\]\(a0d7a21fc3afd4da2f4f9099e275d54d_img.jpg\)](#) [!\[\]\(a169de820c82676e137a8d7895a844c4_img.jpg\)](#) [!\[\]\(b93d963ceb22c1adc9a554151f702f54_img.jpg\)](#)